

24.0 DISABLED COMMUNICATIONS

Disabled Communications: The Disabled Communications Report shows a listing of controllers that have been selected, by the user, as controllers that the central computer will not communicate with.

1. From the toolbar at the top of the screen select **Central Reports** then scroll down to **Disabled Communications** and click on it (Figure 24.0.1).



Figure 24.0.1

Note: This will take you to the “**Disabled Communications**” screen (Figure 24.0.2).




Figure 24.0.2

SEE “HOW TO PRINT REPORTS” SECTION FOR MORE INFORMATION.

SEE LAST PAGE OF THIS SECTION FOR FULL PAGE REPORT.

24.1 DISABLED COMMUNICATIONS LIST REPORT CONTENTS

The following is a list of every item on the **Disabled Communications** report (Figure 24.0.2).


Date and Time: This shows the date and time that you requested the report.

Site Name: Each site name will appear to the left of the list in a colored font.

Controller Name: The controller names will be listed directly under the site that they are a part of. They will appear in alpha-numeric sequence and are in bold font.

Note: To enable the communications for a controller in this list you must go to **Site / Controller setup** in the toolbar and check the box next to **Communications Enabled**.





The screenshot shows a PDF viewer window with a toolbar at the top. The toolbar includes icons for print, zoom, and navigation, along with a zoom level of 79%, a page number of 1, and a 'Close' button. A 'Print Current Page' button is also visible. The document content is centered on a white page within a grey frame. At the top of the page, the date and time 'July 11, 2005 11:31:15 AM' are displayed. Below this, the text 'Controllers with communications disabled' is underlined. A list of locations follows: 'Alabaster Cove', 'Front Park', 'North Lawn', and 'South Hill'. At the bottom left of the page, the CALSENSE logo is present, and at the bottom center, it says 'Page 1 of 1'. The viewer's status bar at the very bottom also displays 'Page 1 of 1'.

